

Safety Data Sheet

Isopropyl Alcohol 70%

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Isopropyl Alcohol 70%

Synonyms/Generic Names: 2-Propanol, 70%; Isopropayl Rubbing Alcohol

Product Number: SOL241

Product Use: Industrial, Manufacturing or Laboratory use

Manufacturer or supplier's details

Company : Famis Inc

Address 5689 NW 35th court

Miami FL, 33142 United States of America

Emergency telephone number:

Transport North America: CHEMTREC 800.424.9300

2. HAZARDS IDENTIFICATION

OSHA Hazards: Flammable liquid, Target organ effect, Irritant

Target Organs: Nerves, Kidneys, Cardiovascular system, Gastrointestinal tract, Liver

Signal Word: Danger

Pictograms:





GHS Classification:

Flammable liquids	Category 2
Skin irritation	Category 3
Eye irritation	Category 2A
Specific target organ toxicity-single exposure	Category 3

GHS Label Elements, including precautionary statements:

Hazard Statements:

H225	Highly flammable liquid and vapor	
H316	Causes mild skin irritation.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	

Revised on 01/14/2015 Page 1 of 6

Precautionary Statements:

resolutionary statements.				
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.			
P233	Keep container tightly closed.			
P240	Ground/Bond container and receiving equipment.			
P241	Use explosion-proof electrical/ventilating/lighting/equipment.			
P242	Use only non-sparking tools.			
P243	Take precautionary measures against static discharge.			
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.			
P264	Wash hands thoroughly after handling.			
P271	Use only outdoors or in a well-ventilated area.			
P280	Wear protective gloves/protective clothing/eye protection/face protection.			
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse			
	skin with water/shower.			
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.			
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact			
	lenses, if present and easy to do. Continue rinsing.			
P312	Call a POISON CENTER/doctor/physician if you feel unwell.			
P332+P313	If skin irritation occurs: Get medical advice/attention.			
P337+P313	If eye irritation persists: Get medical advice/attention.			
P370+P378	In case of fire: Use appropriate media to extinguish.			
P403+P233	Store in a well-ventilated place. Keep container tightly closed.			
P405	Store locked up.			
P501	Dispose of contents/container in accordance with local regulations.			

Potential Health Effects

Eyes	Causes eye irritation.
Inhalation	May be harmful if inhaled. Causes respiratory tract irritation. Vapors may cause drowsiness and dizziness.
Skin	May be harmful if absorbed through skin. Causes skin irritation.
Ingestion	May be harmful if swallowed.

NFPA Ratings

Health	1
Flammability	3
Reactivity	0
Specific hazard	Not Available

HMIS Ratings

Health	1
Fire	3
Reactivity	0
Personal	Е

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	CAS#	EINECS# / ELINCS#	Formula	Molecular Weight
Isopropyl Alcohol	69-71	67-63-0	200-661-7	CH₃CHOHCH₃	60.10 g/mol
Water	Balance	7732-18-5	231-791-2	H ₂ O	18.00 g/mol

4. FIRST-AID MEASURES

Eyes	Rinse with plenty of water for at least 15 minutes and seek medical attention.		
Inhalation	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not		
	breathing, give artificial respiration. Get medical attention.		
Skin	Flush with plenty of water for at least 15 minutes while removing contaminated clothing and		
	wash using soap. Get medical attention.		

Revised on 01/14/2015 Page 2 of 6

Ingestion	Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If
	conscious, wash out mouth with water. Get medical attention.

5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media	Flammable in the presence of a source of ignition when the temperature is above the flash point. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Use appropriate media for adjacent fire. Cool containers with water.	
Special protective equipment Wear self-contained, approved breathing apparatus and		
and precautions for firefighters	clothing, including eye protection and boots.	
Specific hazards arising from	Emits toxic fumes (carbon oxides) under fire conditions. (See also	
the chemical	Stability and Reactivity section).	

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	See section 8 for recommendations on the use of personal protective equipment.
Environmental precautions	Prevent spillage from entering drains. Any release to the environment
	may be subject to federal/national or local reporting requirements.
Methods and materials for	Absorb spill with noncombustible absorbent material, then place in a
containment and cleaning up	suitable container for disposal. Clean surfaces thoroughly with water to
	remove residual contamination. Dispose of all waste and cleanup
	materials in accordance with regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use. Avoid formation of aerosols.

Conditions for safe storage, including any incompatibilities

Store in cool, dry well ventilated area. Keep away from incompatible materials (see section 10 for incompatibilities).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure controls:

Component	Exposure Limits	Basis	Entity
Isopropyl Alcohol	200 ppm 492 mg/m ³	TLV	ACGIH
	400 ppm 984 mg/m ³	STEL	ACGIH
	400 ppm 980 mg/m ³	PEL	OSHA
	400 ppm 980 mg/m ³	REL	NIOSH
	500 ppm 1225 mg/m ³	STEL	NIOSH

Revised on 01/14/2015 Page 3 of 6

TWA: Time Weighted Average over 8 hours of work. TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes. IDLH: Immediately Dangerous to Life or Health WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

Personal Protection

Eyes	Wear chemical safety glasses or goggles with face shield.
Inhalation	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an approved respirator.
Skin	Wear nitrile or rubber gloves, apron or lab coat. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Other	Not Available

Other Recommendations

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Clear, colorless liquid.
Odor	Alcohol-like.
Odor threshold	Highest known value: 22 ppm (Isopropanol)
рН	Neutral
Melting point/freezing point	-88.5°C (-127.3°F) (Isopropanol)
Initial boiling point and boiling range	82.5°C (180.5°F) (Isopropanol)
Flash point	CLOSED CUP: 18.3°C (64.9°F) (Isopropanol)
Evaporation rate	Not Available
Flammability (solid, gas)	Flammable
Upper/lower flammability or explosive limit	LOWER: 2% UPPER: 12.7% (Isopropanol)
Vapor pressure	Not Available
Vapor density	Not Available
Density	0.8411 (Water = 1)
Solubility (ies)	Easily soluble in cold water, hot water, methanol,
	diethyl ether, n-octanol, acetone.
Partition coefficient: n-octanol/water	Not Available
Auto-ignition temperature	399°C (750.2°F) (Isopropanol)
Decomposition temperature	Not Available

10. STABILITY AND REACTIVITY

Chemical Stability	Stable
Possibility of Hazardous Reactions	Will not occur.
Conditions to Avoid	Heat, flames and sparks. Extremes of temperature and direct
	sunlight.
Incompatible Materials	Aluminum, acids, oxidizing agents, halogenated compounds, acid
	anhydrides.
Hazardous Decomposition Products	Carbon oxides.

Revised on 01/14/2015 Page 4 of 6

11. TOXICOLOGICAL INFORMATION

Acute Toxicity Isopropanol

Skin	LD50 – rabbit – 18,286 mg/kg	
Eyes	Not Available	
Respiratory	Not Available	
Ingestion	LD50 – mouse – 5,143 mg/kg	

Carcinogenicity

IARC	3-Group 3: Not classifiable as to its carcinogenicity to humans (Isopropyl Alcohol).
ACGIH	A4: Not classifiable as a human carcinogen (Isopropyl Alcohol).
NTP	No components of this product present at levels greater than or equal to 0.1% is identified
	as a known or anticipated carcinogen by NTP.
OSHA	No components of this product present at levels greater than or equal to 0.1% is identified
	as a carcinogen or potential carcinogen by OSHA.

Signs & Symptoms of Exposure

Skin	Irritation, redness, itchiness.	
Eyes	Irritation, redness, watering eyes, itchiness.	
Respiratory	ry Irritation, coughing, wheezing, dizziness, drowsiness.	
Ingestion	Irritation, nausea, vomiting, diarrhea, dizziness, drowsiness.	

Chronic Toxicity	May cause damage to the following organs: kidneys, liver, skin, central
	nervous system.
Teratogenicity	Not Available
Mutagenicity	Not Available
Embryotoxicity	Not Available
Specific Target Organ Toxicity	Not Available
Reproductive Toxicity	Classified Reproductive system/toxin/female.
	Development toxin.
Respiratory/Skin Sensitization	Not Available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Isopropanol

Aquatic Vertebrate	Not Available
Aquatic Invertebrate	Not Available
Terrestrial	Not Available

Persistence and Degradability	Not Available
Bioaccumulative Potential	Not Available
Mobility in Soil	Not Available
PBT and vPvB Assessment	Not Available
Other Adverse Effects	Not Available

13. DISPOSAL CONSIDERATIONS

Waste Residues	Users should review their operations in terms of the applicable federal/national or
	local regulations and consult with appropriate regulatory agencies if necessary before
	disposing of waste product container or residue.

Page 5 of 6 Revised on 01/14/2015

Product	Users should review their operations in terms of the applicable federal/national or
Containers	local regulations and consult with appropriate regulatory agencies if necessary
	before disposing of waste product container.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

14. TRANSPORTATION INFORMATION

US DOT	UN1219, Isopropanol, 3, pg II
TDG	UN1219, ISOPROPANOL, 3, pg II
IMDG	UN1219, ISOPROPANOL, 3, pg II
Marine Pollutant	No
IATA/ICAO	UN1219, Isopropanol, 3, pg II

15. REGULATORY INFORMATION

TSCA Inventory Status	All ingredients are listed on the TSCA inventory.	
DSCL (EEC)	All ingredients are listed on the DSCL inventory.	
California Proposition 65	Not Listed	
SARA 302	Not Listed	
SARA 304	Not listed	
SARA 311	Fire Hazard, Acute Health Hazard, Chronic Health Hazard	
SARA 312	Fire Hazard, Acute Health Hazard, Chronic Health Hazard	
SARA 313	Listed: Isopropyl Alcohol	
WHMIS Canada	Class B-2: Flammable and combustible liquid- Flammable liquid	
	Class D-2B: Poisonous and infectious material- Other effects- Toxic	

16. OTHER INFORMATION

Revision	Date
Revision 1	07-25-2012
Revision 2	10/18/2013
Revision 3	01/14/2015

Disclaimer:FAMIS INC. ("FAMIS") believes that the information herein is factual but is not intended to be all inclusive. The information relates only to the specific material designated and does not relate to its use in combination with other materials or its use as to any particular process. Because safety standards and regulations are subject to change and because FAMIS has no continuing control over the material, those handling, storing or using the material should satisfy themselves that they have current information regarding the particular way the material is handled, stored or used and that the same is done in accordance with federal, state and local law. FAMIS MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE.

Revised on 01/14/2015 Page 6 of 6