

Version 1.2

Revision Date: 03/18/2015

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	: Mineral Spirits Odorless
Product Use Descrip-	: Solvent.
tion	

## Manufacturer or supplier's details

Company Address : Famis Inc 5689 NW 35<sup>th</sup> ct Miami Fl, 33142 United States of America

**Emergency telephone number:** Transport North America: CHEMTREC 800.424.9300

# SECTION 2. HAZARDS IDENTIFICATION

<b>GHS</b> Classification	
Flammable liquids	: Category 3
Skin irritation	: Category 2
Eye irritation Specific target organ tox- icity - single exposure	: Category 2A : Category 3 (Central nervous system)
Aspiration hazard	: Category 1

# **GHS Label element**

Hazard pictograms Signal word	: Danger
Hazard statements	: H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways.



Version 1.2	Revision Date: 03/18/2015
	H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Precautionary statements	<ul> <li><b>Prevention:</b></li> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P233 Keep container tightly closed.</li> <li>P240 Ground/bond container and receiving equipment.</li> <li>P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.</li> <li>P242 Use only non-sparking tools.</li> <li>P243 Take precautionary measures against static discharge.</li> <li>P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.</li> <li>P264 Wash skin thoroughly after handling.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> <li>P280 Wear protective gloves/ eye protection/ face protection.</li> <li><b>Response:</b></li> <li>P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.</li> <li>P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.</li> <li>P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.</li> <li>P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P332 + P313 If skin irritation occurs: Get medical advice/ attention.</li> <li>P337 + P313 If skin irritation persists: Get medical advice/ attention.</li> <li>P337 + P333 Store in a well-ventilated place. Keep container tightly closed.</li> <li>P403 + P233 Store in a well-ventilated place. Keep cool. P403 + P233 Store in a well-ventilated place. Keep cool. P405 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.</li> </ul>



Version 1.2

Revision Date: 03/18/2015

## **Potential Health Effects**

Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
ΝΤΡ	No component of this product present at levels greater than or equal to 0.1% is identified as a known or antic- ipated carcinogen by NTP.

#### **Emergency Overview**

DANGER	
Appearance	liquid
Colour	clear, colourless
Odour	hydrocarbon-like

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### **Hazardous components**

CAS-No.	Chemical Name	Concentration (%)
64741-65-7	Naphtha (petroleum), heavy alkylate	0 - 100
64742-48-9	Naph (pet), hydrotrtd hvy	0 - 100
Synonyms	: Odorless Mineral Spirits/Odorless	s Paint Thinner,
Special Notes:	: Functionally equivalent petroleur found in this preparation at vary	

# **SECTION 4. FIRST AID MEASURES**



Version 1.2	Revision Date: 03/18/2015
General advice	<ul> <li>Move out of dangerous area.</li> <li>Show this safety data sheet to the doctor in attendance.</li> <li>Symptoms of poisoning may appear several hours later.</li> <li>Do not leave the victim unattended.</li> </ul>
If inhaled	: Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice.
In case of skin contact	: If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	<ul> <li>Immediately flush eye(s) with plenty of water. Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> </ul>
If swallowed	<ul> <li>Keep respiratory tract clear.</li> <li>Do NOT induce vomiting.</li> <li>Do not give milk or alcoholic beverages.</li> <li>Never give anything by mouth to an unconscious person.</li> <li>If symptoms persist, call a physician.</li> <li>Take victim immediately to hospital.</li> </ul>

# **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Unburned hydrocarbons
Specific extinguishing methods	: Use a water spray to cool fully closed containers.



Version 1.2	Revision Date: 03/18/2015
Further information	: Collect contaminated fire extinguishing water sepa- rately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing wa- ter must be disposed of in accordance with local regu- lations.
Special protective equip- ment for firefighters	<ul><li>For safety reasons in case of fire, cans should be stored separately in closed containments.</li><li>Wear self-contained breathing apparatus for firefight- ing if necessary.</li></ul>

# NFPA Flammable and Combustible Liquids Classification:

Combustible Liquid Class II

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	<ul> <li>Use personal protective equipment.</li> <li>Ensure adequate ventilation.</li> <li>Remove all sources of ignition.</li> <li>Evacuate personnel to safe areas.</li> <li>Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.</li> </ul>
Environmental precau- tions	<ul> <li>Prevent product from entering drains.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> </ul>
Methods and materials for containment and cleaning up	: Contain spillage, and then collect with non- combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in con- tainer for disposal according to local / national regula- tions (see section 13).

## **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling	<ul> <li>Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static dis- charges. Provide sufficient air exchange and/or exhaust in work</li> </ul>
	Provide sufficient air exchange and/or exhaust in work



Version 1.2	Revision Date: 03/18/2015
Conditions for safe sto- rage	<ul> <li>rooms.</li> <li>Open drum carefully as content may be under pressure.</li> <li>Dispose of rinse water in accordance with local and national regulations.</li> <li>No smoking.</li> <li>Keep container tightly closed in a dry and well-ventilated place.</li> <li>Containers which are opened must be carefully resealed and kept upright to prevent leakage.</li> <li>Observe label precautions.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS-No.	Components	Value type (Form of exposure)	Control parame- ters / Permissi- ble concentra- tion	Basis
64741-65-7	Naphtha (petroleum), heavy alkylate	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA PO
64742-48-9	Naph (pet), hydrotrtd hvy	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA PO

## **Components with workplace control parameters**

# Personal protective equipment

Respiratory protection	In the case of vapour formation use a respirator with an approved filter. No personal respiratory protective equipment normally required.
Hand protection Remarks	The suitability for a specific workplace should be dis- cussed with the producers of the protective gloves.
Eye protection	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	impervious clothing



Version 1.2	Revision Date: 03/18/2015
	Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: liquid
Colour	: clear, colourless
Odour	: hydrocarbon-like
Odour Threshold	: No data available
pH Freezing Point (Melting point/freezing point)	: not applicable : No data available
Boiling Point (Boiling point/boiling range)	: 171 - 204 °C (340 - 399 °F)
Flash point	: 51 °C (124 °F)
Evaporation rate	: 0.1 n-Butyl Acetate
Flammability (solid, gas)	
Burning rate	: No data available
Upper explosion limit	: 7.0 %(V)
Lower explosion limit	: 0.6 %(V)
Vapour pressure	: 0.8 mmHg @ 20 °C (68 °F)
Relative vapour density	: 5.3(Air = 1.0)
Relative density	: 0.758 - 0.770 @ 15.6 - 20 °C (60.1 - 68 °F) Reference substance: (water = 1)
Density	: 0.768 g/cm3 @ 20 °C (68 °F)



Version 1.2

Revision Date: 03/18/2015

Bulk density	: No data available
Solubility(ies) Water solubility Solubility in other sol- vents	: 0.05 g/l negligible : No data available
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: 260 °C
Thermal decomposition	: No data available

# SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability Possibility of hazardous reactions	<ul><li>Stable under normal conditions.</li><li>No hazards to be specially mentioned.</li></ul>
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials Hazardous decomposition products	<ul> <li>strong oxidizing agents</li> <li>Carbon monoxide, carbon dioxide and unburned hy- drocarbons (smoke).</li> </ul>

# SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity	
Components: 64741-65-7: Acute oral toxicity	: LD50 (rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: Remarks: No data available



# Safety Data Sheet **Mineral Spirits Odorless**

Version 1.2	Revision Date: 03/18/2015
Acute dermal toxicity	: LD50 (rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity
64742-48-9: Acute oral toxicity	: LD50 (rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (rat): > 5610 Assessment: The component/mixture is low toxic after short term inhalation.
Acute dermal toxicity	: LD50 (rabbit): > 3,000 mg/kg

## Skin corrosion/irritation

**Product:** 

Remarks: Irritating to skin.

## **Components:**

64741-65-7: Species: rabbit Result: Irritating to skin.

#### 64742-48-9:

Species: rabbit Exposure time: 4 h Method: OECD Test Guideline 404 Result: Irritating to skin.

#### Serious eye damage/eye irritation

### **Product:**

Remarks: Irritating to eyes.

# **Components:**

64741-65-7: Species: rabbit Result: Mild eye irritation

# 64742-48-9:

Species: rabbit Result: Irritating to eyes. Method: OECD Test Guideline 405

# **Respiratory or skin sensitisation**

#### **Components:**



Version 1.2

Revision Date: 03/18/2015

### 64741-65-7:

Remarks: No data available

## 64742-48-9:

Test Type: Buehler Test Species: guinea pig Method: OECD Test Guideline 406 Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity
Components:

## 64741-65-7:

Germ cell mutagenicity-	: Mutagenicity classification not possible from current
Assessment	data

### 64742-48-9:

Genotoxicity in vitro	:	Remarks: No data available
Germ cell mutagenicity-	:	Mutagenicity classification not possible from current
Assessment		data

# Carcinogenicity <u>Components:</u>

## 64741-65-7:

Carcinogenicity - As-	:	Not classifiable as a human carcinogen.
sessment		

# 64742-48-9:

Remarks: This information is not available. Carcinogenicity - As- : Not classifiable as a human carcinogen. sessment

# Reproductive toxicity

# Components:

**64741-65-7:** Reproductive toxicity -

: Fertility classification not possible from current data. Embryotoxicity classification not possible from current data.

# 64742-48-9:

Assessment

Effects on fertility : Test Type: Two-generation study Species: rat Application Route: inhalation (vapour) General Toxicity - Parent: NOAEC: > 20,000 mg/m<sup>3</sup> Method: OECD Test Guideline 416



Version 1.2	Revision Date: 03/18/2015
Effects on foetal devel- opment	: Test Type: Embryo-foetal development Species: rat Application Route: inhalation (vapour) Duration of Single Treatment: 20 d Frequency of Treatment: 6 hr/day Embryo-foetal toxicity.: NOAEL: 23,900 mg/m <sup>3</sup> Method: OECD Test Guideline 414
Reproductive toxicity - Assessment	: Fertility classification not possible from current data. Embryotoxicity classification not possible from current data.

# **STOT - single exposure**

## Product:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsi- ness or dizziness.	

# Components:

64741-65-7:			
Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsi- ness or dizziness., The substance or mixture is classified as specific target organ toxicant, sin- gle exposure, cate- gory 3 with narcotic effects.	

#### 64742-48-9:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsi- ness or dizziness., The substance or mixture is classified as specific target organ toxicant, sin- gle exposure, cate- gory 3 with narcotic effects.	

## STOT - repeated exposure

Product: No data available



Version 1.2

Revision Date: 03/18/2015

### Components:

64741-65-7:No data available

#### 64742-48-9:No data available

#### **Aspiration toxicity**

#### Product:

May be fatal if swallowed and enters airways.

## Components:

64741-65-7:

May be fatal if swallowed and enters airways.

#### 64742-48-9:

May be fatal if swallowed and enters airways.

# **Further information**

#### Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

#### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

<u>Components:</u> 64741-65-7:	
Toxicity to fish Toxicity to daphnia and other aquatic inverte- brates	: Remarks: No data available : Remarks: No data available
Toxicity to algae	: Remarks: No data available
Ecotoxicology Assessment Acute aquatic toxicity	: Toxic to aquatic life.
Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.



Version 1.2

Revision Date: 03/18/2015

64742-48-9:	
Toxicity to fish	: LL50 (Oncorhynchus mykiss (rainbow trout)): 10 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic inverte-brates	<ul> <li>EL50 (Daphnia magna (Water flea)): 4.5 mg/l Exposure time: 48 h</li> <li>Test Type: static test</li> <li>Method: OECD Test Guideline 202</li> </ul>
Toxicity to algae	: EL50 (Pseudokirchneriella subcapitata (Selenastrum capricornutum)): 3.1 mg/l End point: Growth rate Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201
Ecotoxicology Assessment Acute aquatic toxicity	: Toxic to aquatic life.
Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.

# Persistence and degradability

<b>Bioaccumulative potential</b> <u>Components:</u> 64741-65-7: Partition coefficient: n- : octanol/water	log Pow: 3.3 - 5.3
Mobility in soil	
No data available	
<b>Other adverse effects</b> No data available	
Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A $+$ B).
Additional ecological in- : formation	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life with long lasting effects.



Version 1.2

Revision Date: 03/18/2015

## SECTION 13. DISPOSAL CONSIDERATIONS

<b>Disposal methods</b> Waste from residues	: Dispose of in accordance with all applicable local, state and federal regulations. For assistance with your waste management needs - including disposal, recycling and waste stream reduc- tion
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

#### **SECTION 14. TRANSPORT INFORMATION**

**IATA (International Air Transport Association)**: UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III, Flash Point:51 °C(124 °F)

**IMDG (International Maritime Dangerous Goods):** UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III

**DOT (Department of Transportation)**: UN1268, PETROLEUM DISTILLATES, N.O.S., CBL, III

Special Notes:	: The flash point for this material is greater than 100 F (38 C). Therefore, in accordance with 49 CFR
	173.150(f) non-bulk containers (<450L or <119 gal- lon capacity) of this material may be shipped as non-
	regulated when transported solely by land, as long as
	the material is not a hazardous waste, a marine pollu- tant, or specifically listed as a hazardous substance.

#### **SECTION 15. REGULATORY INFORMATION**

OSHA Hazards	: Combustible Liquid, Moderate skin irritant, Aspiration hazard, Moderate eye irritant
WHMIS Classification	: B3: Combustible Liquid D2A: Very Toxic Material Causing Other Toxic Effects D2B: Toxic Material Causing Other Toxic Effects



Version 1.2

Revision Date: 03/18/2015

### **EPCRA - Emergency Planning and Community Right-to-Know Act**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

-	air	rdous Substances Reportable Quantity n any components with a section 304 EHS RQ. Fire Hazard Acute Health Hazard Chronic Health Hazard
SARA 302	:	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	SARA 313: This material does not contain any chemi- cal components with known CAS numbers that exceed the threshold (De Minimis) reporting levels estab- lished by SARA Title III, Section 313.

#### **Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F). This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

#### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. Clean-Water Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### **US State Regulations**

#### **Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

#### Pennsylvania Right To Know

64741-65-7	Naphtha (petroleum), heavy alkylate	0 - 100 %
64742-48-9	Naph (pet), hydrotrtd hvy	0 - 100 %

#### **New Jersey Right To Know**

64741-65-7	Naphtha (petroleum), heavy alkylate	0 - 100 %
64742-48-9	Naph (pet), hydrotrtd hvy	0 - 100 %



Version 1.2

Revision Date: 03/18/2015

**California Prop 65** This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the fol	lov	ving inventories:
Switzerland. New notified substances and declared preparations	:	y (positive listing) (The formulation contains substances listed on the Swiss Inventory)
United States TSCA Inventory	:	y (positive listing) (On TSCA Inven- tory)
Canadian Domestic Substances List (DSL)	••	y (positive listing) (All components of this product are on the Canadian DSL.)
Australia Inventory of Chemical Substances (AICS)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Japan. ENCS - Existing and New Chemical Substances Inventory	:	n (Negative listing) (Not in compliance with the inventory)
Japan. ISHL - Inventory of Chemical Substances (METI)	••	n (Negative listing) (Not in compliance with the inventory)
Korea. Korean Existing Chemicals Inventory (KECI)	•	y (positive listing) (On the inventory, or in compliance with the inventory)
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	•	y (positive listing) (On the inventory, or in compliance with the inventory)
China. Inventory of Existing Chemical Substances in China (IECSC)	•	y (positive listing) (On the inventory, or in compliance with the inventory)




Version 1.2

Revision Date: 03/18/2015

### **SECTION 16. OTHER INFORMATION**

#### **Further information**



The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

#### Legecy MSDS: R0000594

#### Material number:

20097, 86531, 16061589, 16065737, 16056559, 16056561, 16056560, 16061791, 547042, 635873, 783249, 501966, 20095, 691875, 86039, 554063, 775827, 16026811, 16009323, 70181, 53278, 87264, 20101, 16007246, 86619, 86036, 784578, 153243, 54503, 592411, 16036243, 576376, 508208, 102992, 69665, 20096, 623658, 16036544, 86610, 506279, 16030187, 594059, 554318, 554250, 554249, 554202, 554127, 554092, 554083, 504043, 16010280, 20094, 69661, 70153, 86042, 508612, 102943, 102915, 103650, 70235, 53849, 102910, 54506, 508209

Key or legend to abbreviations and acronyms used in the safety data sheet					
ACGIH	American Conference of Gov-	LD50	Lethal Dose 50%		
	ernment Industrial Hygienists				
AICS	Australia, Inventory of Chem-	LOAEL	Lowest Observed Adverse Effect		
	ical Substances		Level		
DSL	Canada, Domestic Sub-	NFPA	National Fire Protection Agency		



Version 1.2

Revision Date: 03/18/2015

	stances List		
NDSL	Canada, Non-Domestic Sub-	NIOSH	National Institute for Occupational
	stances List		Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure	OSHA	Occupational Safety & Health Admin-
	Scenario Tool		istration
EOSCA	European Oilfield Specialty	PEL	Permissible Exposure Limit
	Chemicals Association		
EINECS	European Inventory of Exist-	PICCS	Philipines Inventory of Commercial
	ing Chemical Substances		Chemical Substances
MAK	Germany Maximum Concen-	PRNT	Presumed Not Toxic
	tration Values		
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reau-
			thorization Act.
IARC	International Agency for Re-	TLV	Threshold Limit Value
	search on Cancer		
IECSC	Inventory of Existing Chemi-	TWA	Time Weighted Average
	cal Substances in China		
ENCS	Japan, Inventory of Existing	TSCA	Toxic Substance Control Act
	and New Chemical Sub-		
	stances		
KECI	Korea, Existing Chemical In-	UVCB	Unknown or Variable Compositon,
	ventory		Complex Reaction Products, and
			Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials In-
			formation System
LC50 Lethal Concentration 50%			centration 50%