

Version 4.0 Revision Date: 03/30/2015

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

**Product name** : VM&P Naphtha **Product Use Descrip-** : industrial chemical

tion

Manufacturer or supplier's details

**Company** : Famis Inc

**Address** 5689 NW 35<sup>th</sup> ct

Miami FL, 33142 United States of America

**Emergency telephone number:** 

Transport North America: CHEMTREC 800.424.9300

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Flammable liquids : Category 2

Skin irritation : Category 2

Eye irritation : Category 2A

Germ cell mutagenicity : Category 1B

Carcinogenicity : Category 1B

Specific target organ tox- : Category 3

icity - single exposure

: Category 3 (Central nervous system)

Aspiration hazard : Category 1

**GHS Label element** 

Hazard pictograms







MSDS Number: 100000002744 1 / 20 VM&P Naphtha



Version 4.0 Revision Date: 03/30/2015

Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

H340 May cause genetic defects. H351 Suspected of causing cancer.

Precautionary statements : **Prevention:** 

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have

been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/

lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static

discharge.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/

spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ eye protection/ face protection.

Page 11-

P281 Use personal protective equipment as required.

Response:

P301 + P310 IF SWALLOWED: Immediately call a

POISON CENTER or doctor/ physician.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse

skin with water/ shower.

P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if

you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical

advice/ attention.

P331 Do NOT induce vomiting.

P332 + P313 If skin irritation occurs: Get medical

advice/ attention.

P337 + P313 If eye irritation persists: Get medical

advice/ attention.



Version 4.0 Revision Date: 03/30/2015

P362 Take off contaminated clothing and wash before

reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical

or alcohol-resistant foam for extinction.

Storage:

P403 + P233 Store in a well-ventilated place. Keep

container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

#### **Potential Health Effects**

**Carcinogenicity:** 

**IARC** Group 2B: Possibly carcinogenic to humans

100-41-4 Ethylbenzene

**ACGIH** Confirmed animal carcinogen with unknown relevance to

humans

100-41-4 Ethylbenzene

**OSHA**No component of this product present at levels greater

than or equal to 0.1% is identified as a carcinogen or

potential carcinogen by OSHA.

**NTP** No component of this product present at levels greater

than or equal to 0.1% is identified as a known or antic-

ipated carcinogen by NTP.

#### **Emergency Overview**

Appearance	liquid
Colour	clear, colourless
Odour	petroleum distillates
Hazard Summary	No information available.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### **Hazardous components**

MSDS Number: 100000002744 3 / 20 VM&P Naphtha



Version 4.0 Revision Date: 03/30/2015

_	-	
CAS-No.	Chemical Name	Concentration (%)
0-00-0	0-00-0 may be CAS# 68410-97-9, 64742- 49-0, and/or 64742-89-8	90 - 100
1330-20-7	Mixed Xylenes	0 - 20
108-88-3	Toluene	0 - 5
100-41-4	Ethylbenzene	0 - 5
142-82-5	Heptane	0 - 5
111-65-9	Octane	0 - 2

Special Notes: : GHS Classification is based on the product CAS num-

ber(s).

#### **SECTION 4. FIRST AID MEASURES**

General advice : Show this safety data sheet to the doctor in atten-

dance.

If inhaled : Consult a physician after significant exposure.

In case of skin contact : If skin irritation persists, call a physician.

In case of eye contact : Immediately flush eye(s) with plenty of water.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do NOT induce vomiting.

Take victim immediately to hospital.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing

media

: Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains

or water courses.

Hazardous combustion

products

: No hazardous combustion products are known

Specific extinguishing : Use a water spray to cool fully closed containers.

MSDS Number: 100000002744 4 / 20 VM&P Naphtha



Version 4.0 Revision Date: 03/30/2015

methods

Further information : Collect contaminated fire extinguishing water sepa-

rately. This must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regu-

lations.

For safety reasons in case of fire, cans should be

stored separately in closed containments.

Special protective equipment for firefighters

: Wear self-contained breathing apparatus for firefight-

ing if necessary.

#### NFPA Flammable and Combustible Liquids Classification:

Flammable Liquid Class IB

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precau-

tions

: Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains

inform respective authorities.

Methods and materials for containment and

cleaning up

: Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regula-

tions (see section 13).

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before

use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in

the application area.

Take precautionary measures against static dis-

MSDS Number: 100000002744 5 / 20 VM&P Naphtha



Version 4.0 Revision Date: 03/30/2015

charges.

Provide sufficient air exchange and/or exhaust in work

rooms.

Open drum carefully as content may be under pres-

sure.

Dispose of rinse water in accordance with local and

national regulations.

Conditions for safe storage

: No smoking.

Keep container tightly closed in a dry and well-

ventilated place.

Containers which are opened must be carefully re-

sealed and kept upright to prevent leakage.

Observe label precautions.

Electrical installations / working materials must comp-

ly with the technological safety standards.

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Components with workplace control parameters**

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1330-20-7	Mixed Xylenes	TWA	100 ppm 435 mg/m3	OSHA Z-1
		TWA	100 ppm	ACGIH
		STEL	150 ppm	ACGIH
		STEL	150 ppm 655 mg/m3	OSHA P0
		TWA	100 ppm 435 mg/m3	OSHA P0
108-88-3	Toluene	TWA	20 ppm	ACGIH
		TWA	100 ppm 375 mg/m3	NIOSH REL
		ST	150 ppm 560 mg/m3	NIOSH REL
		TWA	200 ppm	OSHA Z-2
		CEIL	300 ppm	OSHA Z-2
		Peak	500 ppm	OSHA Z-2
		TWA	100 ppm 375 mg/m3	OSHA P0
		STEL	150 ppm 560 mg/m3	OSHA P0
100-41-4	Ethylbenzene	TWA	20 ppm	ACGIH
		TWA	100 ppm	NIOSH REL

MSDS Number: 100000002744 6 / 20 VM&P Naphtha



Version 4.0 Revision Date: 03/30/2015

1			435 mg/m3	
		ST	125 ppm 545 mg/m3	NIOSH REL
		TWA	100 ppm 435 mg/m3	OSHA Z-1
		TWA	100 ppm 435 mg/m3	OSHA PO
		STEL	125 ppm 545 mg/m3	OSHA PO
142-82-5	Heptane	TWA	85 ppm 350 mg/m3	NIOSH REL
		С	440 ppm 1,800 mg/m3	NIOSH REL
		TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA PO
		STEL	500 ppm 2,000 mg/m3	OSHA PO
		TWA	400 ppm	ACGIH
		STEL	500 ppm	ACGIH
111-65-9	Octane	TWA	300 ppm	ACGIH
		TWA	75 ppm 350 mg/m3	NIOSH REL
		С	385 ppm 1,800 mg/m3	NIOSH REL
		TWA	500 ppm 2,350 mg/m3	OSHA Z-1
		TWA	300 ppm 1,450 mg/m3	OSHA P0
		STEL	375 ppm 1,800 mg/m3	OSHA P0

### **Biological occupational exposure limits**

Components	CAS-No.	Control parame-ters	Biological specimen		Permissi- ble con- centration	Basis
Mixed Xylenes	1330- 20-7	Methyl- hippuric acids	Urine	End of shift (As soon as possible after expo- sure ceases)	1.5 g/g creatinine	ACGIH BEI
Toluene	108-88- 3	Toluene	In blood	Prior to last shift of	0.02 mg/l	ACGIH BEI



Version 4.0 Revision Date: 03/30/2015

		Toluene	Urine	work- week End of shift (As soon as possible after expo-	0.03 mg/l	ACGIH BEI
		o-Cresol	Urine	sure ceases)  End of shift (As soon as possible after expo- sure ceases)	0.3 mg/g Creatinine	ACGIH BEI
Ethylbenzene	100-41-	Sum of mandelic acid and phenyl glyoxylic acid	Urine	End of shift at end of work- week	0.7 g/g creatinine	ACGIH BEI

#### **Personal protective equipment**

Respiratory protection : No personal respiratory protective equipment normally

required.

In the case of vapour formation use a respirator with

an approved filter.

Hand protection

Remarks : The suitability for a specific workplace should be dis-

cussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal

processing problems.

Skin and body protection : impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work

place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

MSDS Number: 100000002744 8 / 20 VM&P Naphtha



Version 4.0 Revision Date: 03/30/2015

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : clear, colourless

Odour : petroleum distillates

Odour Threshold : No data available

pH : No data available

Freezing Point : No data available

Boiling Point (Boiling : 90 - 150 °C (194 - 302 °F)

point/boiling range) (1013 hPa)

Flash point : -9 - 20 °C (16 - 68 °F)

Evaporation rate : 0.987 - 3.5

n-Butyl Acetate

Flammability (solid, gas) : No data available

Burning rate : No data available

Upper explosion limit : 6.7 - 8.0 %(V)

Lower explosion limit : 0.8 - 1.0 %(V)

Vapour pressure : 11.25 - 30.75 mmHg @ 20 °C (68 °F)

Relative vapour density : 4.1(Air = 1.0)

Relative density : 0.7 - 0.752 @ 15.6 °C (60.1 °F)

Reference substance: (water = 1)

Density : 0.7002 - 0.7517 g/cm3 @ 15.56 °C (60.01 °F)

Bulk density : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other sol- : No data available

vents



Version 4.0 Revision Date: 03/30/2015

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : 241 - 320 °C

Thermal decomposition : No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of

normal use.

Chemical stability

Possibility of hazardous

reactions

: Stable under normal conditions.

: No hazards to be specially mentioned.

Conditions to avoid : Keep away from heat, flame, sparks and other ignition

sources.

Incompatible materials : Strong acids

Strong oxidizing agents

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Acute toxicity**

### Components:

0-00-0:

Acute oral toxicity : LD50 (rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute dermal toxicity : LD50 (rabbit, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

#### Skin corrosion/irritation

#### **Product:**

Result: Irritating to skin.



Version 4.0 Revision Date: 03/30/2015

#### **Components:**

**0-00-0:** Species: rabbit Exposure

time: 4 h

Result: Irritating to skin.

#### Serious eye damage/eye irritation

#### **Product:**

Result: Irritating to eyes.

#### Components:

0-00-0:

Species: rabbit

Result: Irritating to eyes.

#### Respiratory or skin sensitisation

#### Components:

0-00-0:

Test Type: Buehler Test Species: guinea pig

Result: Did not cause sensitisation on laboratory animals.

### Germ cell mutagenicity

#### **Components:**

0-00-0:

Germ cell mutagenicity-

Assessment

: Positive result(s) from mutagenicity tests in mammals. Evidence that the substance has potential to mutations to cells cause germ

#### Carcinogenicity **Components:**

0-00-0:

sessment

Carcinogenicity - As- : Possible human carcinogen

100-41-4:

sessment

Carcinogenicity - As- : Not classifiable as a human carcinogen.

MSDS Number: 10000002744 11 / 20 VM&P Naphtha



Version 4.0 Revision Date: 03/30/2015

### Reproductive toxicity Components:

0-00-0:

Reproductive toxicity -

Assessment

: No toxicity to reproduction

No evidence of adverse effects on sexual function and fertility, and on development, based on animal expe-

riments.

#### STOT - single exposure

**Product:** No data available

#### Components:

0-00-0:

<b>Exposure routes:</b>	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.	

1330-20-7: No data available

108-88-3: No data available

100-41-4: No data available

142-82-5: No data available

111-65-9: No data available

STOT - repeated exposure

**Product:** No data available

**Components:** 

0-00-0:No data available

1330-20-7: No data available

108-88-3: No data available



Version 4.0 Revision Date: 03/30/2015

100-41-4: No data available

**142-82-5:** No data available

111-65-9: No data available

#### Repeated dose toxicity

#### **Components:**

#### 0-00-0:

Species: rat, male and female

NOAEL: 1402

Application Route: inhalation (vapour)

Test atmosphere: vapour

Exposure time: 13

Number of exposures: 6 hours/day, 5 day

Dose: 322,1402, 9869 mg/m3

GLP: yes

Target Organs: Kidney

Symptoms: Nasal and ocular discharge

#### **Aspiration toxicity**

#### **Product:**

May be fatal if swallowed and enters airways.

#### **Components:**

#### 0-00-0:

May be fatal if swallowed and enters airways.

#### **Further information**

#### **Product:**

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

MSDS Number: 100000002744 13 / 20 VM&P Naphtha



Version 4.0 Revision Date: 03/30/2015

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

Components:

0-00-0:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 8.2

mg/l

Exposure time: 96 h
Test Type: semi-static test

Toxicity to daphnia and

other aquatic inverte-

brates

: EC50 (Daphnia magna (Water flea)): 4.5 mg/l Exposure time: 48 h

Test Type: Immobilization Analytical monitoring: yes

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)):

3.7

Exposure time: 96 h Test Type: static test

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Persistence and degradability

**Components:** 

0-00-0:

Biodegradability : Concentration: 49.2 mg/l

Result: Readily biodegradable.

Biodegradation: 77 % Testing period: 2 d Exposure time: 28 d

**Bioaccumulative potential** 

Components:

1330-20-7:

Partition coefficient: n-

octanol/water

: log Pow: 2.77 - 3.15

108-88-3:

Partition coefficient: n-

octanol/water

: log Pow: 2.73

111-65-9:

MSDS Number: 100000002744 14 / 20 VM&P Naphtha



### **Safety Data Sheet**

### VM&P Naphtha

Version 4.0 Revision Date: 03/30/2015

Partition coefficient: n-

octanol/water

: log Pow: 5.15

Mobility in soil

No data available

Other adverse effects

No data available

**Product:** 

Regulation 40 CFR Protection of Environment; Part 82 Protection

of Stratospheric Ozone - CAA Section 602 Class I Sub-

stances

Remarks This product neither contains, nor was manufactured

with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A

+ B)

Additional ecological in-

formation

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to

aquatic life with long lasting effects.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

Waste from residues : Dispose of in accordance with all applicable local,

state and federal regulations.

For assistance with your waste management needs - including disposal, recycling and waste stream reduc-

tion,

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty

drum.

#### **SECTION 14. TRANSPORT INFORMATION**

**IATA (International Air Transport Association)**: UN1268, PETROLEUM DISTILLATES, N.O.S., 3, II, Flash Point:-9 - 20 °C(16 - 68 °F)

**IMDG (International Maritime Dangerous Goods):** UN1268, PETROLEUM DISTILLATES, N.O.S., 3, II

MSDS Number: 100000002744 15 / 20 VM&P Naphtha



Version 4.0 Revision Date: 03/30/2015

**DOT (Department of Transportation)**: UN1268, PETROLEUM DISTILLATES, N.O.S., 3,

#### **SECTION 15. REGULATORY INFORMATION**

**OSHA Hazards** : Flammable liquid, Carcinogen, Moderate skin irritant,

Moderate eye irritant, Moderate respiratory irritant,

Mutagen

**WHMIS Classification** : B2: Flammable liquid

D2A: Very Toxic Material Causing Other Toxic Effects D2B: Toxic Material Causing Other Toxic Effects

### **EPCRA - Emergency Planning and Community Right-to-Know Act**

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Mixed Xylenes	1330-20-7	100	500

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 : Fire Hazard

Hazards Chronic Health Hazard

Acute Health Hazard

**SARA 302** : SARA 302: No chemicals in this material are subject

to the reporting requirements of SARA Title III,

Section 302.

**SARA 313** : The following components are subject to reporting

levels established by SARA Title III, Section 313:

1330-20-7 Mixed Xylenes 20 %

108-88-3 Toluene 5 %

100-41-4 Ethylbenzene 5 %

#### Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

1330-20-7	Mixed Xylenes	20 %
108-88-3	Toluene	5 %
100-41-4	Ethylbenzene	5 %
108-38-3	m-Xylene	0.05 %

MSDS Number: 100000002744 16 / 20 VM&P Naphtha



Version 4.0 Revision Date: 03/30/2015

71-43-2	Benzene	0.0049 %
91-20-3	Naphthalene	0.0019 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

1330-20-7	Mixed Xylenes	20 %
108-88-3	Toluene	5 %
100-41-4	Ethylbenzene	5 %
71-43-2	Benzene	0.0049 %

#### **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

1330-20-7	Mixed Xylenes	20 %
108-88-3	Toluene	5 %
100-41-4	Ethylbenzene	5 %
108-38-3	m-Xylene	0.05 %
71-43-2	Benzene	0.0049 %
91-20-3	Naphthalene	0.0019 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

1330-20-7	Mixed Xylenes	20 %
108-88-3	Toluene	5 %
100-41-4	Ethylbenzene	5 %
71-43-2	Benzene	0.0049 %
91-20-3	Naphthalene	0.0019 %

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

108-88-3	Toluene	5 %
100-41-4	Ethylbenzene	5 %

#### **US State Regulations**

#### **Massachusetts Right To Know**

1330-20-7	Mixed Xylenes	0 - 20 %
108-88-3	Toluene	0 - 5 %
100-41-4	Ethylbenzene	0 - 5 %
142-82-5	Heptane	0 - 5 %
71-43-2	Benzene	0 - 0.1 %

#### Pennsylvania Right To Know

64742-89-8	Solvent naphtha (pet), lt aliph.	0 - 100 %
64742-49-0	Naphtha (pet), hydrotreated It	0 - 100 %
68410-97-9	Distillates, pet, It dist hydrotreat	0 - 100 %
	process, low-boil	
1330-20-7	Mixed Xylenes	0 - 20 %
108-88-3	Toluene	0 - 5 %
100-41-4	Ethylbenzene	0 - 5 %
142-82-5	Heptane	0 - 5 %



Version 4.0		R	evision Date: 03/30/2015
	111-65-9 108-38-3	Octane m-Xylene	0 - 2 % 0 - 0.1 %
New Jersey	y Right To Know	v	
	64742-89-8	Solvent naphtha (pet), lt aliph	n. 0 - 100 %
	64742-49-0	Naphtha (pet), hydrotreated l	t 0 - 100 %
	68410-97-9	Distillates, pet, It dist hydrotro process, low-boil	
	1330-20-7	Mixed Xylenes	0 - 20 %
	108-88-3	Toluene	0 - 5 %
	100-41-4	Ethylbenzene	0 - 5 %
	142-82-5	Heptane	0 - 5 %
	111-65-9	Octane	0 - 2 %
California I	100-41-4 71-43-2 91-20-3	WARNING! This product conta the State of California to caus Ethylbenzene Benzene Naphthalene WARNING: This product conta the State of California to caus reproductive harm.	e cancer. ins a chemical known to
	108-88-3 71-43-2	Toluene Benzene	

#### The components of this product are reported in the following inventories:

	1	- · · · · · · · · · · · ·
United States TSCA Inventory	:	y (positive listing) (Listed on TSCA)
Canadian Domestic Substances List (DSL)	:	y (positive listing) (All components of this product are on the Canadian DSL.)
Australia Inventory of Chemical Substances (AICS)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
New Zealand. Inventory of Chemical Substances	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Japan. ENCS - Existing and New Chemical Substances Inventory	:	y (positive listing) (On the inventory, or in compliance with the inventory)

MSDS Number: 100000002744 18 / 20 VM&P Naphtha




Version 4.0 Revision Date: 03/30/2015

Korea. Korean Existing Chemicals Inventory (KECI)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
China. Inventory of Existing Chemical Substances in China (IECSC)	:	y (positive listing) (On the inventory, or in compliance with the inventory)

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA:



#### **HMIS III:**

HEALTH	2*
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances..

**Legecy MSDS:** R0014122



Version 4.0 Revision Date: 03/30/2015

#### **Material number:**

16073239, 16062265, 16037863, 699277, 622966, 622970, 568341, 554320, 554367, 554217, 554203, 554093, 554064, 554056, 554041, 547196, 508935, 508615, 69660, 70888, 86623, 86567, 52691, 102428, 69068, 86621, 102990, 102911, 70191, 69674, 69072, 70184, 70186, 69669, 70240, 86563, 86572, 69673, 69073, 70885, 153475, 138762, 508228, 508227, 86612, 508292, 507594, 505498, 503688, 501219, 500043, 39851, 20604, 20603, 20602, 20601, 20600, 20599

Key or le	gend to abbreviations and ac	ronyms use	ed in the safety data sheet		
ACGIH	American Conference of Gov-	LD50	Lethal Dose 50%		
	ernment Industrial Hygienists				
AICS	Australia, Inventory of Chem-	LOAEL	Lowest Observed Adverse Effect		
	ical Substances		Level		
DSL	Canada, Domestic Sub-	NFPA	National Fire Protection Agency		
	stances List				
NDSL	Canada, Non-Domestic Sub-	NIOSH	National Institute for Occupational		
	stances List		Safety & Health		
CNS	Central Nervous System	NTP	National Toxicology Program		
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals		
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level		
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration		
EGEST	EOSCA Generic Exposure	OSHA	Occupational Safety & Health Admin-		
	Scenario Tool		istration		
EOSCA	European Oilfield Specialty	PEL	Permissible Exposure Limit		
	Chemicals Association				
EINECS	European Inventory of Exist-	PICCS	Philipines Inventory of Commercial		
	ing Chemical Substances		Chemical Substances		
MAK	Germany Maximum Concen-	PRNT	Presumed Not Toxic		
	tration Values				
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act		
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit		
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reau-		
			thorization Act.		
IARC	International Agency for Re-	TLV	Threshold Limit Value		
	search on Cancer				
IECSC	Inventory of Existing Chemi-	TWA	Time Weighted Average		
	cal Substances in China				
ENCS	Japan, Inventory of Existing	TSCA	Toxic Substance Control Act		
	and New Chemical Sub-				
	stances				
KECI	Korea, Existing Chemical In-	UVCB	Unknown or Variable Compositon,		
	ventory		Complex Reaction Products, and		
	ļ		Biological Materials		
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials In-		
			formation System		
LC50	LC50 Lethal Concentration 50%				

MSDS Number: 100000002744 20 / 20 VM&P Naphtha