



SAFETY DATA SHEET

Revision Date 08-Jun-2020

Revision Number 5

1. IDENTIFICATION

Product Identifier

Product Name RAL 1011 Brown Beige

Other means of identification

Product Code(s) PLSF40245CN

Product Type Powder Coating.

Recommended use of the chemical and restrictions on use

Recommended Use Industrial Coating.

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Address

IFS Coatings Inc. 3601 North I-35 Gainesville, TX 76240
940-668-1062

Emergency telephone number

Emergency Telephone Number CHEMTREC (800) 424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

WHMIS Statement

Classification complies with Canadian Hazardous Products Regulations (WHMIS 2015).

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 2

Label elements

Emergency Overview

Signal Word Danger

Hazard Statements

wash before reuse. In the case of skin irritation or allergic reactions see a physician.

Inhalation

Remove to fresh air.

Ingestion

None under normal use conditions. Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use, Foam, Dry chemical or CO2

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

Specific Hazards Arising from the Chemical

Fine dust dispersed in air may ignite. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Explosion Data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Ensure adequate ventilation. Use personal protection equipment. Avoid dust formation. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.

Environmental precautions

Environmental precautions

See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Cleaning Up

Prevent environmental discharge consistent with regulatory requirements. Use non-sparking tools. Pick up and transfer to properly labeled containers. Disposal should be in accordance with applicable regional, national and local laws and regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Use personal protection equipment. Avoid contact with eyes, skin and clothing. Do not breathe dust. Avoid dust formation. Do not ingest.

Conditions for safe storage, including any incompatibilities

Storage

Keep container tightly closed. Store in accordance with local regulations. Store in a dry place. Store at room temperature.

Incompatible Products

Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Components	ACGIH TLV	OSHA PEL	NIOSH IDLH	AIHA - WEEL
Barium sulfate 7727-43-7	TWA: 5 mg/m ³	TWA: 15 mg/m ³ TWA: 5 mg/m ³ (vacated) TWA: 10 mg/m ³ (vacated) TWA: 5 mg/m ³	TWA: 10 mg/m ³ TWA: 5 mg/m ³	-
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³	TWA: 15 mg/m ³ (vacated) TWA: 10 mg/m ³	IDLH: 5000 mg/m ³ TWA: 2.4 mg/m ³ TWA: 0.3 mg/m ³	-
1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3,5-tris(oxiranylmethyl)- 2451-62-9	TWA: 0.05 mg/m ³	-	-	-
Quartz 14808-60-7	TWA: 0.025 mg/m ³	TWA: 50 µg/m ³ (vacated) TWA: 0.1 mg/m ³	IDLH: 50 mg/m ³ TWA: 0.05 mg/m ³	-

Appropriate engineering controls

Engineering Measures

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Avoid contact with eyes. Eye protection.

Skin and Body Protection

Wear protective gloves/protective clothing.

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Take off contaminated clothing and wash before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State

Solid, Powder

Appearance

Powder

Color

No information available

Odor

Odorless

Odor Threshold

No data available

Property

Values

Remarks • Method

pH

Specific test data for the substance or mixture is not available

Melting point / freezing point

No information available

Boiling Point / Boiling Range

Specific test data for the substance or mixture is not available

Flash Point

Specific test data for the substance or mixture is not available

Evaporation Rate

No information available

Flammability (solid, gas)

No information available

Flammability Limit in Air

Upper Explosive Limits

70 g/m³

Lower Explosive Limits

30 g/m³

Vapor pressure

Negligible

Vapor Density

Specific test data for the substance or mixture is not available

Specific Gravity

1.2-1.8

Water Solubility

Immiscible in water

Solubility in other solvents

Specific test data for the substance or mixture is not available

Partition coefficient

No information available

Autoignition Temperature

No information available

Decomposition Temperature

No information available

Kinematic viscosity No information available
Dynamic viscosity Specific test data for the substance or mixture is not available
Explosive Properties No information available
Oxidizing Properties No information available

Other Information

Softening Point Specific test data for the substance or mixture is not available
Solids 100%

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Excessive heat.

Incompatible Materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Substances which cause concern for man owing to possible mutagenic effects but for which the available information is not adequate for making a satisfactory assessment.

Inhalation May cause irritation of respiratory tract.

Eye Contact Contact with eyes may cause irritation.

Skin Contact Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Repeated exposure may cause skin dryness or cracking. May cause irritation.

Ingestion Not an expected route of exposure. May be harmful if swallowed.

Components	Oral LD50	Dermal LD50	Inhalation LC50
Barium sulfate 7727-43-7	= 307000 mg/kg (Rat)	-	-
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
1,3,5-Triazine-2,4,6-(1H,3H,5H)-trione, 1,3,5-tris(oxiranylmethyl)- 2451-62-9	= 302 mg/kg (Rat) = 188 mg/kg (Rat)	> 2000 mg/kg (Rat)	= 0.65 mg/L (Rat) 4 h > 0.65 mg/L (Rat) 4 h

Information on toxicological effects

Symptoms Specific test data for the substance or mixture is not available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause sensitization in susceptible persons.

Mutagenic Effects Specific test data for the substance or mixture is not available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen

Components	ACGIH	IARC	NTP	OSHA
Titanium dioxide 13463-67-7	-	Group 2B	-	X
Quartz	A2	Group 1	Known	X

14808-60-7				
------------	--	--	--	--

Reproductive Toxicity No information available
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Chronic Toxicity Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. Experiments have shown reproductive toxicity effects on laboratory animals. See Section 11 for additional Toxicological Information.
Aspiration Hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 1,193.70
ATEmix (dermal) 46,860.40
ATEmix (inhalation-dust/mist) 4.57

12. ECOLOGICAL INFORMATION

Ecotoxicity

0.46581 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Components	Algae/aquatic plants	Toxicity to Fish	Daphnia Magna (Water Flea)
1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3,5-tris(oxiranylmethyl)- - 2451-62-9	N/A	77: 96 h Danio rerio mg/L LC50 static	N/A

Persistence and Degradability

No information available.

Bioaccumulation/Accumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal Methods Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging Do not reuse empty containers.

14. TRANSPORT INFORMATION

DOT Not regulated.

IATA Not regulated.

IMDG/IMO Not regulated.

15. REGULATORY INFORMATION

TSCA 8(b) All components are listed or exempt
DSL All components are listed or exempt

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990

CWA (Clean Water Act)

See information supplied by the manufacturer

CERCLA

See information supplied by the manufacturer

US State Regulations

California Proposition 65

WARNING: This product can expose you to one or more chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov. See section 3 of the SDS for Proposition 65 substances present at or above 0.1 weight percent. Please contact the Regulatory Department if additional information is required.

U.S. EPA Label Information

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health Hazard 2	Flammability 1	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard 2	Flammability 1	Physical hazards 0	Personal Precautions X

Revision Date 08-Jun-2020

Revision Note

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet