

SAFETY DATA SHEET

Revision date 09-Aug-2022

Revision Number 10

1. IDENTIFICATION

Product identifierRAL 7030 Stone GrayProduct NameRAL 7030 Stone GrayOther means of identificationPLSF70152CNProduct Code(s)PLSF70152CNProduct TypePowder Coating.

Recommended use of the chemical and restrictions on useRecommended UseIndustrial Coating.Uses advised againstNo information available

Details of the supplier of the safety data sheet Supplier Address IFS Coatings Inc. 3601 North I-35 Gainesville, TX 76240 940-668-1062

Emergency telephone number Emergency Telephone Number

CHEMTREC (800) 424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

WHMIS Statement

Classification complies with Canadian Hazardous Products Regulations (WHMIS 2015).

Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 2

Label elements

Emergency Overview

Signal Word Danger

Hazard Statements

Causes serious eye damage. May cause an allergic skin reaction. May cause genetic defects. May cause cancer. May cause damage to organs through prolonged or repeated exposure.



Physical state Solid, Powder

Odor None

Precautionary Statements

Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing must not be allowed out of the workplace. Do not breathe dust/fume/gas/mist/vapors/spray.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention. Specific treatment (see Section 4 on this SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

IF ON SKIN: Wash with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Precautionary Statements - Storage

Store in a dry place.

Precautionary Statements - Disposal

Dispose of in accordance with federal, state and local regulations.

Hazards not otherwise classified (HNOC)

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Product dust may be irritating to eyes, skin and respiratory system.

Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical name	CAS No	Weight-%	Trade Secret
Barium sulfate	7727-43-7	10 - 30	*
Titanium dioxide	13463-67-7	10 - 30	*
1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3,5-tris(oxiranylmethyl)-	2451-62-9	1 - 5	*
Silica, amorphous	7631-86-9	1 - 5	*
Carbon black	1333-86-4	0.1 - 1.0	*
Quartz	14808-60-7	0.1 - 1.0	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin Contact	Wash off immediately with soap and plenty of water. Take off contaminated clothing and wash before reuse. In the case of skin irritation or allergic reactions see a physician.
Inhalation	Remove to fresh air.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean mouth with water and drink afterwards plenty of water. Consult a physician if necessary. None under normal use conditions.

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Foam, Dry chemical or CO2

Unsuitable Extinguishing Media

Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.

Specific Hazards Arising from the Chemical

Prevent fire extinguishing water from contaminating surface water or the ground water system. Fine dust dispersed in air may ignite.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protection equipment. Ensure adequate ventilation. Avoid dust formation. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.
Environmental precautions	
Environmental precautions	See Section 12 for additional Ecological Information.
Methods and material for conta	inment and cleaning up
Methods for Cleaning Up	Pick up and transfer to properly labeled containers. Use non-sparking tools. Prevent environmental discharge consistent with regulatory requirements. Disposal should be in accordance with applicable regional, national and local laws and regulations.
	7. HANDLING AND STORAGE
Precautions for safe handling	
Handling	Use personal protection equipment. Avoid contact with eyes, skin and clothing. Avoid dust formation. Fine dust dispersed in air may ignite. Do not breathe dust. Do not ingest.
Conditions for safe storage, inc	luding any incompatibilities
Storage	Keep container tightly closed. Store in accordance with local regulations. Store in a dry place. Store at room temperature. Keep away from open flames, hot surfaces and sources of ignition.

Incompatible Products

Strong oxidizing agents, strong acids, and strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH	AIHA - WEEL
Barium sulfate	TWA: 5 mg/m ³ inhalable	TWA: 15 mg/m ³	TWA: 10 mg/m ³	-
7727-43-7	particulate matter, particulate	TWA: 5 mg/m ³	TWA: 5 mg/m ³	
	matter containing no	(vacated) TWA: 10 mg/m ³		

	asbestos and <1% crystalline silica	(vacated) TWA: 5 mg/m ³		
Titanium dioxide 13463-67-7	TWA: 0.2 mg/m ³ nanoscale respirable particulate matter TWA: 2.5 mg/m ³ finescale respirable particulate matter	TWA: 15 mg/m ³ (vacated) TWA: 10 mg/m ³	IDLH: 5000 mg/m ³ TWA: 2.4 mg/m ³ TWA: 0.3 mg/m ³	-
1,3,5-Triazine-2,4,6(1H,3H,5 H)-trione, 1,3,5-tris(oxiranylmethyl)- 2451-62-9	TWA: 0.05 mg/m³	-	-	-
Silica, amorphous 7631-86-9	-	TWA: 20 mppcf TWA: TWA: 50 μg/m ³ (vacated) TWA: 6 mg/m ³	IDLH: 3000 mg/m ³ TWA: 6 mg/m ³	-
Carbon black 1333-86-4	TWA: 3 mg/m ³ inhalable particulate matter	TWA: 3.5 mg/m ³ (vacated) TWA: 3.5 mg/m ³	IDLH: 1750 mg/m ³ TWA: 3.5 mg/m ³ TWA: 0.1 mg/m ³	-
Quartz 14808-60-7	TWA: 0.025 mg/m ³ respirable particulate matter	TWA: 50 µg/m ³ (vacated) TWA: 0.1 mg/m ³	IDLH: 50 mg/m ³ TWA: 0.05 mg/m ³	-

Appropriate engineering controls

Engineering Measures	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Avoid contact with eyes. Eye protection.
Skin and Body Protection	Wear protective gloves/protective clothing.
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene Measures	Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	Solid, Powder Powder Varies	Odor Odor threshold	Odorless No data available
Property pH Melting point / freezing point Boiling Point / Boiling Range Flash point Evaporation rate Flammability Flammability Limit in Air Upper flammability or explosive limits Lower flammability or explosive	ValuesNo information availableNo data availableNo information availableNo information availableNo information availableNo information available70 g/m³30 g/m³	<u>Remarks • Method</u>	
limits Vapor pressure Relative vapor density Specific Gravity Water Solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature	Negligible No information available 1.2-1.8 Immiscible in water Specific test data for the substance or mixture is not available No information available No data available No information available	r	

Kinematic viscosityNo information availableDynamic viscositySpecific test data for the substance or
mixture is not availableExplosive PropertiesNo information availableOxidizing PropertiesNo information availableOther informationSpecific test data for the substance or mixture is not availableSoftening Point
SolidsSpecific test data for the substance or mixture is not available

10. STABILITY AND REACTIVITY

Reactivity No data available Chemical stability Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Excessive heat. Avoid dust formation. Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Substances which cause concern for man owing to possible mutagenic effects but for which the available information is not adequate for making a satisfactory assessment.
Inhalation	May cause irritation of respiratory tract.
Eye Contact	Contact with eyes may cause irritation.
Skin Contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Repeated exposure may cause skin dryness or cracking. May cause irritation.
Ingestion	May be harmful if swallowed. Not an expected route of exposure.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Barium sulfate 7727-43-7	= 307000 mg/kg (Rat)	-	-
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	= 5.09 mg/L (Rat)4 h
1,3,5-Triazine-2,4,6(1H,3H,5H)-trion e, 1,3,5-tris(oxiranylmethyl)- 2451-62-9	= 302 mg/kg (Rat)	> 2000 mg/kg (Rat)	= 0.65 mg/L (Rat)4 h > 0.65 mg/L (Rat)4 h
Silica, amorphous 7631-86-9	= 7900 mg/kg(Rat)	> 5000 mg/kg (Rabbit)	> 58.8 mg/L (Rat)4 h
Carbon black 1333-86-4	> 15400 mg/kg (Rat)	-	> 4.6 mg/m³ (Rat)4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Specific test data for the substance or mixture is not available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Mutagenic Effects May cause sensitization in susceptible persons. This product contains one or more substances which are classified in the EU as carcinogenic, mutagenic and/or reprotoxic.

Carcinogenicity		elow indicates whether each			
Chemical name	ACGIH	IARC	NTP	OSHA	
Titanium dioxide 13463-67-7	A3	Group 2B	-	Х	
Silica, amorphous 7631-86-9	-	Group 3	-	-	
Carbon black 1333-86-4	A3	Group 2B	-	Х	
Quartz 14808-60-7	A2	Group 1	Known	Х	
Reproductive Toxicity	No information available				
STOT - single exposure	No information available.				
STOT - repeated exposure	No informat	ion available.			
Chronic Toxicity	Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. Experiments have shown reproductive toxicity effects on laboratory animals. See Section 11 for additional Toxicological Information.				
Aspiration Hazard	No information available.				
Numerical measures of toxici	ty - Product Inform	mation			
The following values are calc	ulated based on cl	napter 3.1 of the GHS docu	ument		

ATEmix (oral)	2,336.90
ATEmix (dermal)	28,838.00
ATEmix (inhalation-dust/mist)	11.31

12. ECOLOGICAL INFORMATION

Ecotoxicity

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
1,3,5-Triazine-2,4,6(1H,3H,5H)-trion	Not applicable	LC50: >77mg/L (96h, Danio rerio)	Not applicable
e, 1,3,5-tris(oxiranylmethyl) 2451-62-9			
Silica, amorphous - 7631-86-9	EC50: =440mg/L (72h,	LC50: =5000mg/L (96h, Brachydanio	EC50: =7600mg/L (48h,
	Pseudokirchneriella subcapitata)	rerio)	Ceriodaphnia dubia)

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Chemical name	Partition coefficient
1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3,5-tris(oxiranylmethyl)-	-0.8
2451-62-9	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Disposal methods	
Disposal Methods	Dispose of in accordance with federal, state and local regulations.
Contaminated Packaging	Do not reuse empty containers.

14. TRANSPORT INFORMATION

IATA

IMDG

Not regulated

Not regulated

15. REGULATORY INFORMATION

All components are listed or exempt

All components are listed or exempt

Legend:

TSCA 8(b)

DSL

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act:

Chemical name	Weight-%	HAPS data
Ethylene glycol	< 0.1%	Present
107-21-1		

CWA (Clean Water Act)

See information supplied by the manufacturer

CERCLA

See information supplied by the manufacturer

US State Regulations

California Proposition 65

WARNING: This product can expose you to one or more chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov. See section 3 of the SDS for Proposition 65 substances present at or above 0.1 weight percent. Please contact the Regulatory Department if additional information is required.

U.S. EPA Label Information

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards	2	Flammability	1
HMIS	Health hazards	2	Flammability	1

Instability 0 Physical hazards 0 Special hazards - Personal Precautions X

Revision date Revision Note

09-Aug-2022

No information available **Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet