# SAFETY DATA SHEET



Revision date 01-Jun-2022

**Revision Number** 3

## 1. IDENTIFICATION

Product identifier

Product Name SUPER RAL 1013 OYSTER WHITE

Other means of identification

Product Code(s) SRSF45763CN
Product Type Powder Coating.

Recommended use of the chemical and restrictions on use
Recommended Use Industrial Coating.
Uses advised against No information available

Details of the supplier of the safety data sheet

**Supplier Address** 

IFS Coatings Inc. 3601 North I-35 Gainesville, TX 76240

940-668-1062

Emergency telephone number

Emergency Telephone Number CHEMTREC (800) 424-9300

## 2. HAZARDS IDENTIFICATION

### Classification

# **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

# **WHMIS Statement**

Classification complies with Canadian Hazardous Products Regulations (WHMIS 2015).

Acute toxicity - Oral	Category 4
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2

### Label elements

## **Emergency Overview**

Signal Word Danger

### Hazard Statements

Harmful if swallowed. Causes serious eye damage. May cause an allergic skin reaction. May cause genetic defects. Suspected of

causing cancer. May cause damage to organs through prolonged or repeated exposure.



Appearance Powder Physical state Solid, Powder Odor None

#### **Precautionary Statements**

### **Precautionary Statements - Prevention**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Do not breathe dust/fume/gas/mist/vapors/spray.

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention. Specific treatment (see Section 4 on this SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

IF ON SKIN: Wash with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse mouth.

# **Precautionary Statements - Storage**

Store in a dry place.

### **Precautionary Statements - Disposal**

Dispose of in accordance with federal, state and local regulations.

### Hazards not otherwise classified (HNOC)

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Product dust may be irritating to eyes, skin and respiratory system.

#### Other information

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Chemical name	CAS No	Weight-%	Trade Secret
Titanium dioxide	13463-67-7	10 - 30	*
Calcium sulfate	7778-18-9	10 - 30	*
Barium sulfate	7727-43-7	5 - 13	*
1,3,5-Triazine-2,4,6(1H,3H,5H)-trione,	2451-62-9	1 - 5	*
1,3,5-tris(oxiranylmethyl)-			
Silica, amorphous	7631-86-9	1 - 5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

### Description of first aid measures

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin Contact** Wash off immediately with soap and plenty of water. Take off contaminated clothing and

wash before reuse. In the case of skin irritation or allergic reactions see a physician.

**Inhalation** Remove to fresh air.

Ingestion None under normal use conditions. Clean mouth with water and drink afterwards plenty of

water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Consult a physician if necessary.

Notes to Physician Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Foam, Dry chemical or CO2

#### **Unsuitable Extinguishing Media**

Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.

#### **Specific Hazards Arising from the Chemical**

Fine dust dispersed in air may ignite. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **Explosion data**

Sensitivity to mechanical impact None.

Sensitivity to static discharge Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition

source is a potential dust explosion hazard.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation. Use personal protection equipment. Avoid dust formation. If

exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in

accordance with current local regulations.

Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Cleaning Up Prevent environmental discharge consistent with regulatory requirements. Use

non-sparking tools. Pick up and transfer to properly labeled containers. Disposal should be

in accordance with applicable regional, national and local laws and regulations.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Handling Use personal protection equipment. Avoid contact with eyes, skin and clothing. Avoid dust

formation. Fine dust dispersed in air may ignite. Do not breathe dust. Do not ingest.

Conditions for safe storage, including any incompatibilities

**Storage** Keep container tightly closed. Store in accordance with local regulations. Store in a dry

place. Store at room temperature. Keep away from open flames, hot surfaces and sources

of ignition.

**Incompatible Products** Strong oxidizing agents, strong acids, and strong bases.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH	AIHA - WEEL
Titanium dioxide	TWA: 0.2 mg/m <sup>3</sup> nanoscale	TWA: 15 mg/m <sup>3</sup>	IDLH: 5000 mg/m <sup>3</sup>	-
13463-67-7	respirable particulate matter	(vacated) TWA: 10 mg/m <sup>3</sup>	TWA: 2.4 mg/m <sup>3</sup>	
	TWA: 2.5 mg/m³ finescale		TWA: 0.3 mg/m <sup>3</sup>	
	respirable particulate matter			
Calcium sulfate	TWA: 10 mg/m <sup>3</sup> inhalable	TWA: 15 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	-
7778-18-9	particulate matter	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	
		(vacated) TWA: 15 mg/m <sup>3</sup>		
		(vacated) TWA: 5 mg/m <sup>3</sup>		
Barium sulfate	TWA: 5 mg/m³ inhalable	TWA: 15 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	-
7727-43-7	particulate matter,	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	
	particulate matter containing	(vacated) TWA: 10 mg/m <sup>3</sup>		
	no asbestos and <1%	(vacated) TWA: 5 mg/m <sup>3</sup>		
	crystalline silica			
1,3,5-Triazine-2,4,6(1H,3H,5	TWA: 0.05 mg/m <sup>3</sup>	-	-	-
H)-trione,				
1,3,5-tris(oxiranylmethyl)-				
2451-62-9				
Silica, amorphous	-	TWA: 20 mppcf	IDLH: 3000 mg/m <sup>3</sup>	-
7631-86-9		TWA:	TWA: 6 mg/m <sup>3</sup>	
		TWA: 50 µg/m³		
		(vacated) TWA: 6 mg/m <sup>3</sup>		

#### Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Avoid contact with eyes. Eye protection.

**Skin and Body Protection** Wear protective gloves/protective clothing.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling

the product. Take off contaminated clothing and wash before reuse.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Solid, Powder

AppearancePowderOdorOdorless

Color Varies Odor threshold No data available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

**pH** No information available

Melting point / freezing pointNo data availableBoiling Point / Boiling RangeNo information availableFlash pointNo information availableEvaporation rateNo information availableFlammabilityNo information available

Flammability Limit in Air

Upper flammability or explosive 70 g/m<sup>3</sup>

limits

Lower flammability or explosive 30 g/m<sup>3</sup>

limits

Vapor pressure Negligible

Relative vapor density No information available

Specific Gravity 1.2-1.8

Water Solubility Immiscible in water

Solubility in other solvents Specific test data for the substance or

mixture is not available

**Partition coefficient** No information available **Autoignition temperature** No data available **Decomposition temperature** No information available

No information available Kinematic viscosity **Dynamic viscosity** 

Specific test data for the substance or

mixture is not available **Explosive Properties** No information available No information available **Oxidizing Properties** 

Other information

Specific test data for the substance or mixture is not available **Softening Point** 

Solids 100%

## 10. STABILITY AND REACTIVITY

Reactivity

No data available **Chemical stability** 

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Excessive heat. Avoid dust formation. Keep away from open flames, hot surfaces and sources of ignition.

**Incompatible materials** 

Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

Inhalation May cause irritation of respiratory tract.

**Eye Contact** Contact with eyes may cause irritation.

**Skin Contact** Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

Repeated exposure may cause skin dryness or cracking. May cause irritation.

Ingestion Not an expected route of exposure. May be harmful if swallowed.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	= 5.09 mg/L (Rat) 4 h
Calcium sulfate 7778-18-9	> 3000 mg/kg (Rat)	-	> 3.26 mg/L (Rat)4 h
Barium sulfate 7727-43-7	= 307000 mg/kg ( Rat )	-	-
1,3,5-Triazine-2,4,6(1H,3H,5H)-trion e, 1,3,5-tris(oxiranylmethyl)- 2451-62-9	= 302 mg/kg(Rat)	> 2000 mg/kg ( Rat )	= 0.65 mg/L (Rat)4 h > 0.65 mg/L (Rat)4 h
Silica, amorphous 7631-86-9	= 7900 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 58.8 mg/L (Rat)4 h

Symptoms related to the physical, chemical and toxicological characteristics

Specific test data for the substance or mixture is not available. **Symptoms** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause sensitization in susceptible persons.

**Mutagenic Effects** This product contains one or more substances which are classified in the EU as

carcinogenic, mutagenic and/or reprotoxic.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide 13463-67-7	A3	Group 2B	-	X
Silica, amorphous 7631-86-9	-	Group 3	-	-

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic Toxicity Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and

sensitization of susceptible persons. Experiments have shown reproductive toxicity effects

on laboratory animals. See Section 11 for additional Toxicological Information.

**Aspiration Hazard** No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 1,579.60

 ATEmix (dermal)
 28,267.30

 ATEmix (inhalation-dust/mist)
 5.69

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Calcium sulfate - 7778-18-9	Not applicable	LC50: =2980mg/L (96h, Lepomis macrochirus) LC50: >1970mg/L (96h, Pimephales promelas)	Not applicable
1,3,5-Triazine-2,4,6(1H,3H,5H)-trion e, 1,3,5-tris(oxiranylmethyl) 2451-62-9	Not applicable	LC50: >77mg/L (96h, Danio rerio)	Not applicable
Silica, amorphous - 7631-86-9	EC50: =440mg/L (72h, Pseudokirchneriella subcapitata)	LC50: =5000mg/L (96h, Brachydanio rerio)	EC50: =7600mg/L (48h, Ceriodaphnia dubia)

# Persistence and Degradability

No information available.

#### **Bioaccumulation**

No information available.

Chemical name	Partition coefficient
1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3,5-tris(oxiranylmethyl)-	-0.8
2451-62-9	

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

Disposal methods

**Disposal Methods** Dispose of in accordance with federal, state and local regulations.

**Contaminated Packaging** Do not reuse empty containers.

# 14. TRANSPORT INFORMATION

<u>DOT</u>

IATA Not regulated

IMDG Not regulated

# 15. REGULATORY INFORMATION

TSCA 8(b)

All components are listed or exempt
All components are listed or exempt

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

### SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

## U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990

### **CWA (Clean Water Act)**

See information supplied by the manufacturer

#### **CERCLA**

See information supplied by the manufacturer

## **US State Regulations**

#### **California Proposition 65**

WARNING: This product can expose you to one or more chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov. See section 3 of the SDS for Proposition 65 substances present at or above 0.1 weight percent. Please contact the Regulatory Department if additional information is required.

# U.S. EPA Label Information

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA<br/>HMISHealth hazards 2<br/>Health hazards 2Flammability 1<br/>Flammability 1Instability 0<br/>Physical hazards 0<br/>XSpecial hazards -<br/>Personal Precautions X

Revision date 01-Jun-2022

**Revision Note** 

No information available

**Disclaimer** 

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.