



SAFETY DATA SHEET

Revision date 13-Jan-2021

Revision Number 3

1. IDENTIFICATION

Product identifier

Product Name SUPER RAL 7040 WINDOW GRAY

Other means of identification

Product Code(s) SRSF73880CN

Product Type Powder Coating.

Recommended use of the chemical and restrictions on use

Recommended Use Industrial Coating.

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Address

IFS Coatings Inc. 3601 North I-35 Gainesville, TX 76240
940-668-1062

Emergency telephone number

Emergency Telephone Number CHEMTREC (800) 424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

WHMIS Statement

Classification complies with Canadian Hazardous Products Regulations (WHMIS 2015).

| | |
|--|-------------|
| Acute toxicity - Oral | Category 4 |
| Serious eye damage/eye irritation | Category 1 |
| Skin sensitization | Category 1 |
| Germ cell mutagenicity | Category 1B |
| Carcinogenicity | Category 2 |
| Specific target organ toxicity (repeated exposure) | Category 2 |

Label elements

Emergency Overview

Signal Word Danger

Hazard Statements

Harmful if swallowed. Causes serious eye damage. May cause an allergic skin reaction. May cause genetic defects. Suspected of

causing cancer. May cause damage to organs through prolonged or repeated exposure.



Appearance Powder

Physical state Solid, Powder

Odor None

Precautionary Statements

Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves. Do not breathe dust/fume/gas/mist/vapors/spray.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention. Specific treatment (see Section 4 on this SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

Precautionary Statements - Storage

Store in a dry place.

Precautionary Statements - Disposal

Dispose of in accordance with federal, state and local regulations.

Hazards not otherwise classified (HNOC)

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Product dust may be irritating to eyes, skin and respiratory system.

Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

| Chemical name | CAS No. | Weight-% | Trade Secret |
|---|------------|-----------|--------------|
| Titanium dioxide | 13463-67-7 | 10 - 30 | * |
| Barium sulfate | 7727-43-7 | 5 - 13 | * |
| 1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3,5-tris(oxiranylmethyl)- | 2451-62-9 | 1 - 5 | * |
| Silica, amorphous | 7631-86-9 | 1 - 5 | * |
| Carbon black | 1333-86-4 | 0.1 - 1.0 | * |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye Contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin Contact

Wash off immediately with soap and plenty of water. Take off contaminated clothing and wash before reuse. In the case of skin irritation or allergic reactions see a physician.

Inhalation

Remove to fresh air.

Ingestion None under normal use conditions. Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use, Foam, Dry chemical or CO₂

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

Specific Hazards Arising from the Chemical

Fine dust dispersed in air may ignite. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Ensure adequate ventilation. Use personal protection equipment. Avoid dust formation. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.

Environmental precautions

Environmental precautions

See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Cleaning Up

Prevent environmental discharge consistent with regulatory requirements. Use non-sparking tools. Pick up and transfer to properly labeled containers. Disposal should be in accordance with applicable regional, national and local laws and regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Use personal protection equipment. Avoid contact with eyes, skin and clothing. Do not breathe dust. Avoid dust formation. Do not ingest.

Conditions for safe storage, including any incompatibilities

Storage

Keep container tightly closed. Store in accordance with local regulations. Store in a dry place. Store at room temperature.

Incompatible Products

Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH | AIHA - WEEL |
|---------------|-----------|----------|------------|-------------|
|---------------|-----------|----------|------------|-------------|

| | | | | |
|--|-----------------------------|--|--|---|
| Titanium dioxide 13463-67-7 | TWA: 10 mg/m ³ | TWA: 15 mg/m ³ (vacated) TWA: 10 mg/m ³ | IDLH: 5000 mg/m ³ TWA: 2.4 mg/m ³ TWA: 0.3 mg/m ³ | - |
| Barium sulfate 7727-43-7 | TWA: 5 mg/m ³ | TWA: 15 mg/m ³ TWA: 5 mg/m ³ (vacated) TWA: 10 mg/m ³ (vacated) TWA: 5 mg/m ³ | TWA: 10 mg/m ³ TWA: 5 mg/m ³ | - |
| 1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3,5-tris(oxiranylmethyl)- 2451-62-9 | TWA: 0.05 mg/m ³ | - | - | - |
| Silica, amorphous 7631-86-9 | - | TWA: 50 µg/m ³ (vacated) TWA: 6 mg/m ³ | IDLH: 3000 mg/m ³ TWA: 6 mg/m ³ | - |
| Carbon black 1333-86-4 | TWA: 3 mg/m ³ | TWA: 3.5 mg/m ³ (vacated) TWA: 3.5 mg/m ³ | IDLH: 1750 mg/m ³ TWA: 3.5 mg/m ³ TWA: 0.1 mg/m ³ | - |

Appropriate engineering controls

Engineering Measures

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Avoid contact with eyes. Eye protection.

Skin and Body Protection

Wear protective gloves/protective clothing.

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Take off contaminated clothing and wash before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | | | |
|-----------------------|--------------------------|-----------------------|-------------------|
| Physical state | Solid, Powder | Odor | Odorless |
| Appearance | Powder | Odor threshold | No data available |
| Color | No information available | | |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|---|--|--------------------------------|
| pH | No information available | |
| Melting point / freezing point | No data available | |
| Boiling Point / Boiling Range | No information available | |
| Flash point | No information available | |
| Evaporation rate | No information available | |
| Flammability | No information available | |
| Flammability Limit in Air | | |
| Upper flammability or explosive limits | 70 g/m ³ | |
| Lower flammability or explosive limits | 30 g/m ³ | |
| Vapor pressure | Negligible | |
| Relative vapor density | No information available | |
| Specific Gravity | 1.2-1.8 | |
| Water Solubility | Immiscible in water | |
| Solubility in other solvents | Specific test data for the substance or mixture is not available | |
| Partition coefficient | No information available | |
| Autoignition temperature | No data available | |
| Decomposition temperature | No information available | |
| Kinematic viscosity | No information available | |
| Dynamic viscosity | Specific test data for the substance or | |

Explosive Properties
Oxidizing Properties

mixture is not available
No information available
No information available

Other information

Softening Point
Solids

Specific test data for the substance or mixture is not available
100%

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Excessive heat.

Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| | |
|---------------------|--|
| Inhalation | May cause irritation of respiratory tract. |
| Eye Contact | Contact with eyes may cause irritation. |
| Skin Contact | Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Repeated exposure may cause skin dryness or cracking. May cause irritation. |
| Ingestion | Not an expected route of exposure. May be harmful if swallowed. |

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|------------------------|-------------------------|---|
| Titanium dioxide 13463-67-7 | > 10000 mg/kg (Rat) | - | - |
| Barium sulfate 7727-43-7 | = 307000 mg/kg (Rat) | - | - |
| 1,3,5-Triazine-2,4,6-(1H,3H,5H)-trione, 1,3,5-tris(oxiranylmethyl)- 2451-62-9 | = 302 mg/kg (Rat) | > 2000 mg/kg (Rat) | = 0.65 mg/L (Rat) 4 h > 0.65 mg/L (Rat) 4 h |
| Silica, amorphous 7631-86-9 | = 7900 mg/kg (Rat) | > 5000 mg/kg (Rabbit) | > 2.08 mg/L (Rat) 4 h |
| Carbon black 1333-86-4 | > 15400 mg/kg (Rat) | - | > 4.6 mg/m ³ (Rat) 4 h |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Specific test data for the substance or mixture is not available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause sensitization in susceptible persons.
Mutagenic Effects This product contains one or more substances which are classified in the EU as carcinogenic, mutagenic and/or reprotoxic.
Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen

| Chemical name | ACGIH | IARC | NTP | OSHA |
|--------------------------------|-------|----------|-----|------|
| Titanium dioxide 13463-67-7 | - | Group 2B | - | X |

| | | | | |
|--------------------------------|----|----------|-------|---|
| Silica, amorphous 7631-86-9 | - | Group 3 | Known | X |
| Carbon black 1333-86-4 | A3 | Group 2B | - | X |

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Chronic Toxicity

No information available
No information available.
No information available.
Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization of susceptible persons. Experiments have shown reproductive toxicity effects on laboratory animals. See Section 11 for additional Toxicological Information.

Aspiration Hazard

No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 1,501.00
ATEmix (dermal) 36,955.20
ATEmix (inhalation-dust/mist) 6.62

12. ECOLOGICAL INFORMATION

Ecotoxicity

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

| Chemical name | Algae/aquatic plants | Fish | Crustacea |
|---|---|--|---|
| 1,3,5-Triazine-2,4,6-(1H,3H,5H)-trione, 1,3,5-tris(oxiranylmethyl)- - 2451-62-9 | Not applicable | LC50: >77mg/L (96h, Danio rerio) | Not applicable |
| Silica, amorphous - 7631-86-9 | EC50: =440mg/L (72h, Pseudokirchneriella subcapitata) | LC50: =5000mg/L (96h, Brachydanio rerio) | EC50: =7600mg/L (48h, Ceriodaphnia dubia) |

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal Methods

Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging

Do not reuse empty containers.

14. TRANSPORT INFORMATION

DOT

Not regulated

IATA

Not regulated

IMDG

Not regulated

15. REGULATORY INFORMATION

TSCA 8(b)

All components are listed or exempt

DSL

All components are listed or exempt

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

| | |
|--|-----|
| Acute health hazard | Yes |
| Chronic Health Hazard | Yes |
| Fire hazard | Yes |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No. |

U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990

CWA (Clean Water Act)

See information supplied by the manufacturer

CERCLA

See information supplied by the manufacturer

US State Regulations

California Proposition 65

WARNING: This product can expose you to one or more chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov. See section 3 of the SDS for Proposition 65 substances present at or above 0.1 weight percent. Please contact the Regulatory Department if additional information is required.

U.S. EPA Label Information

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

| | | | | |
|-------------|-------------------------|-----------------------|---------------------------|-----------------------------|
| NFPA | Health hazards 2 | Flammability 1 | Instability 0 | Special hazards - |
| HMIS | Health hazards 2 | Flammability 1 | Physical hazards 0 | Personal Precautions |
| | | | | X |

Revision date 13-Jan-2021

Revision Note

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet