

Safety Data Sheet Denatured Alcohol

Version 1.2

Revision Date: 02/05/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Denatured Alcohol
Product Use Description : Industrial chemical

Manufacturer or supplier's details

Company : FAMIS INC.
Address : 5689 NW 35TH COURT
MIAMI, FLORIDA 33142
United States of America

Emergency telephone number:
Transport North America: CHEMTREC 800.424.9300

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 2

Eye irritation : Category 2A

~~Specific target organ toxicity - single exposure : Category 3 (Respiratory system, Central nervous system)~~

GHS Label element

Hazard pictograms :



Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation. H335
May cause respiratory irritation. H336
May cause drowsiness or dizziness.

Precautionary statements : **Prevention:**



Safety Data Sheet Denatured Alcohol

Version 1.2

Revision Date: 02/05/2015

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Carcinogenicity:

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.



Safety Data Sheet

Denatured Alcohol

Version 1.2

Revision Date: 02/05/2015

- OSHA** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
- NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Emergency Overview

Appearance	liquid
Colour	colourless
Odour	mild, alcohol-like
Hazard Summary	No information available.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

CAS-No.	Chemical Name	Concentration (%)
64-17-5	Ethanol	90 - 100

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.



Safety Data Sheet Denatured Alcohol

Version 1.2

Revision Date: 02/05/2015

Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Use a water spray to cool fully closed containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

NFPA Flammable and Combustible Liquids Classification:

Flammable Liquid Class IB

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.



Safety Data Sheet

Denatured Alcohol

Version 1.2

Revision Date: 02/05/2015

Methods and materials for containment and cleaning up : If the product contaminates rivers and lakes or drains inform respective authorities.
 : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid formation of aerosol.
 For personal protection see section 8.
 Smoking, eating and drinking should be prohibited in the application area.
 Take precautionary measures against static discharges.
 Provide sufficient air exchange and/or exhaust in work rooms.
 Container may be opened only under exhaust ventilation hood.
 Open drum carefully as content may be under pressure.
 Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : No smoking.
 Keep container tightly closed in a dry and well-ventilated place.
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.
 Observe label precautions.
 Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
64-17-5	Ethanol	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm	OSHA Z-1



Safety Data Sheet Denatured Alcohol

Version 1.2

Revision Date: 02/05/2015

			1,900 mg/m ³	
		TWA	1,000 ppm 1,900 mg/m ³	OSHA P0
		STEL	1,000 ppm	ACGIH

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection
Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : colourless

Odour : mild, alcohol-like

Odour Threshold : No data available

pH : No data available

Freezing Point (Melting point/range) : -114 °C (-173 °F)

Boiling Point (Boiling point/boiling range) : 74 - 80 °C (165 - 176 °F)

Flash point : 12.8 °C (55.0 °F)

Evaporation rate : 2
n-Butyl Acetate

Flammability (solid, gas) : No data available



Safety Data Sheet Denatured Alcohol

Version 1.2

Revision Date: 02/05/2015

Burning rate	: No data available
Upper explosion limit	: 19 %(V)
Lower explosion limit	: 3.3 %(V)
Vapour pressure	: 44 - 66 mmHg
Relative vapour density	: 1.6
Relative density	: 0.789 - 0.83 @ 20 °C (68 °F)
Density	: 0.79 - 0.81 g/cm ³ @ 20 °C (68 °F)
Bulk density	: No data available
Solubility(ies)	
Water solubility	: completely soluble
Solubility in other sol-vents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Thermal decomposition	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No hazards to be specially mentioned.
Conditions to avoid	: Extremes of temperature and direct sunlight. Heat, flames and sparks.
Incompatible materials	: Alkali metals Ammonia Oxidizing agents peroxides



Safety Data Sheet Denatured Alcohol

Version 1.2

Revision Date: 02/05/2015

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Components:

64-17-5:

Acute oral toxicity : LD50 (rat): 7,060 mg/kg

Acute inhalation toxicity : LC50 (rat): 124.7 mg/l

Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

Components:

64-17-5:

Species: rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Components:

64-17-5:

Species: rabbit

Result: Irritating to eyes.

Respiratory or skin sensitisation

Components:

64-17-5:

Test Type: lymph node assay

Species: mouse

Method: OECD Test Guideline 429

GLP: No data available

Remarks: Did not cause sensitisation on laboratory animals.



Safety Data Sheet

Denatured Alcohol

Version 1.2

Revision Date: 02/05/2015

Germ cell mutagenicity

Components:

64-17-5:

- Genotoxicity in vitro : Test Type: Mammalian cell gene mutation assay
Test species: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: No data available
- Genotoxicity in vivo : Test Type: Dominant lethal assay
Test species: mouse (male)
Application Route: Oral
Dose: 10 or 40% ethanol in water
Method: OECD Test Guideline 478
Result: negative
GLP: No data available
- Germ cell mutagenicity-Assessment : Mutagenicity classification not possible from current data

Carcinogenicity

Components:

64-17-5:

- Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.

Reproductive toxicity

Components:

64-17-5:

- Effects on fertility : Test Type: Two-generation study
Species: mouse, male and female
Application Route: oral
Dose: 5, 10 and 15% v/v in water
General Toxicity - Parent: NOAEL: 15 % diet
General Toxicity F1: NOAEL: 10 % diet
Symptoms: reduced litter size Reduced sperm motility in F1 generation
Method: OECD Test Guideline 416
GLP: No data available
- Effects on foetal development : Species: rat
Application Route: Inhalation
Dose: 10,000, 16,000 or 20,000 ppm
General Toxicity Maternal: NOAEL: 16,000 ppm



Safety Data Sheet

Denatured Alcohol

Version 1.2

Revision Date: 02/05/2015

Reproductive toxicity - Assessment : Teratogenicity: NOAEL: > 20,000 ppm
Symptoms: No malformations were observed.
Method: OECD Test Guideline 414
GLP: No data available
: Fertility classification not possible from current data.
Embryotoxicity classification not possible from current data.

STOT - single exposure

Product:No data available

Components:

64-17-5:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.	
Inhalation	Respiratory system	May cause respiratory irritation., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.	

STOT - repeated exposure

Product:No data available

Components:

64-17-5:No data available

Repeated dose toxicity

Components:

64-17-5:

Species: rat, male and female

NOAEL: 10 ml/kg

Application Route: Oral

Exposure time: 7 or 14 wk



Safety Data Sheet Denatured Alcohol

Version 1.2

Revision Date: 02/05/2015

Number of exposures: 2 times/d, 7 d/wk
Dose: 5, 10, 20ml/kg of 16.25% etoh
Method: OECD Test Guideline 408
GLP: yes

Aspiration toxicity

Components:

64-17-5:

No aspiration toxicity classification

Further information

Product:

Remarks: Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

64-17-5:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 15,300 mg/l Exposure time: 96 h Test Type: flow-through test
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia dubia): 5,012 mg/l Exposure time: 48 h Test Type: static test
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l End point: Growth rate Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: No data available

Persistence and degradability

Components:

64-17-5:

Biodegradability : Result: Readily biodegradable.



Safety Data Sheet

Denatured Alcohol

Version 1.2

Revision Date: 02/05/2015

Bioaccumulative potential

Components:

64-17-5:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

IATA (International Air Transport Association): UN1170, ETHANOL, 3, II, Flash Point:12.8 °C(55.0 °F)



Safety Data Sheet

Denatured Alcohol

Version 1.2

Revision Date: 02/05/2015

IMDG (International Maritime Dangerous Goods): UN1170, ETHANOL, 3, II

DOT (Department of Transportation): UN1170, ETHANOL, 3, II

SECTION 15. REGULATORY INFORMATION

OSHA Hazards : Flammable liquid, Moderate eye irritant, Moderate respiratory irritant

WHMIS Classification : B2: Flammable liquid
D2B: Toxic Material Causing Other Toxic Effects

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Acetaldehyde	75-07-0	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard
Acute Health Hazard

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

75-07-0 Acetaldehyde 0.0998 %

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

75-07-0 Acetaldehyde 0.0998 %

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

75-07-0 Acetaldehyde 0.0998 %

75-65-0 Tert-butyl alcohol 0.0581 %



Safety Data Sheet

Denatured Alcohol

Version 1.2

Revision Date: 02/05/2015

67-63-0	Isopropyl alcohol	0.0001 %
64-17-5	Ethanol	92.44 %

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

75-07-0	Acetaldehyde	0.0998 %
---------	--------------	----------

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

75-07-0	Acetaldehyde	0.0998 %
---------	--------------	----------

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

64-17-5	Ethanol	90 - 100 %
75-07-0	Acetaldehyde	0 - 0.1 %

Pennsylvania Right To Know

64-17-5	Ethanol	90 - 100 %
7732-18-5	Water	5 - 10 %
75-07-0	Acetaldehyde	0 - 0.1 %
75-65-0	Tert-butyl alcohol	0 - 0.1 %

New Jersey Right To Know

64-17-5	Ethanol	90 - 100 %
7732-18-5	Water	5 - 10 %

California Prop 65

75-07-0	Acetaldehyde	WARNING! This product contains a chemical known to the State of California to cause cancer.
---------	--------------	---

The components of this product are reported in the following inventories:

Switzerland. New notified substances and declared preparations	:	y (positive listing) (The formulation contains substances listed on the Swiss Inventory)
United States TSCA Inventory	:	y (positive listing) (On TSCA Inventory)
Canadian Domestic Substances List (DSL)	:	y (positive listing) (All components of this product are on the Canadian DSL.)
Australia Inventory of Chemical Substances (AICS)	:	y (positive listing)



Safety Data Sheet Denatured Alcohol

Version 1.2

Revision Date: 02/05/2015

		(On the inventory, or in compliance with the inventory)
New Zealand. Inventory of Chemical Substances	:	n (Negative listing) (Not in compliance with the inventory)
Japan. ENCS - Existing and New Chemical Substances Inventory	:	n (Negative listing) (Not in compliance with the inventory)
Japan. ISHL - Inventory of Chemical Substances (METI)	:	n (Negative listing) (Not in compliance with the inventory)
Korea. Korean Existing Chemicals Inventory (KECI)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
China. Inventory of Existing Chemical Substances in China (IECSC)	:	y (positive listing) (On the inventory, or in compliance with the inventory)

Safety Data Sheet Denatured Alcohol


Version 1.2

Revision Date: 02/05/2015

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMTS III:

HEALTH	2*
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

Legacy MSDS: 10000010156, R0190894

Material number:

729674, 206305, 132254, 160429, 81418, 118276, 115815, 629519

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure	OSHA	Occupational Safety & Health Admin-



Safety Data Sheet

Denatured Alcohol

Version 1.2

Revision Date: 02/05/2015

	Scenario Tool		istration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50			Lethal Concentration 50%